



Portal Techniques for Sega's® Next-Generation Console

Jayeson Lee-Steere
GDC - March 18, 1999

www.powervr.com

NEC

VideoLogi

Topics to be covered



- **PowerVR2 Architecture**

 - Very short overview of relevant hardware features

- **Part 1: Rendering Portal Special Effects**

 - Specifics on how to render special effects such as mirrors, “magic” windows and TV screens

- **Part 2: Portals for Visibility Determination**

 - How to use portals as an efficient visibility determination method

Overview of PowerVR2 Architecture



- **Hardware renders an entire scene at once**
 - **Not one triangle at a time**
- **Final screen pixels are calculated before being written to frame buffer.**
 - **First, opaque polygons are processed.**
 - **Only front-most ones are rendered.**
 - **Second, translucent polygons are processed.**
 - **Visible ones are rendered.**
 - **Those occluded by opaque polygons are not.**
- **Result**
 - **Very efficient use of available fill rate**
 - **Overdraw is “free”**

Part 1: Rendering Portal Special Effects



- A portal is a window looking into another world.
- Terminology
 - Viewer World: world viewer is in
 - Portal World: world visible through portal
 - Portal Polygon: polygon representing window
 - Can actually be multiple non-coplanar polygons
- For mirrors, Portal World is just a different view of Viewer




Figure 1. "Magic" Window




Figure 2. Mirror

Common Technique: Depth Masking



■ Steps

1. Render portal world. Do not render objects behind portal polygon(s)
2. Clear depth buffer.
3. Render portal polygon(s) fully or partially translucent.
4. Render viewer world.

■ How It Works

- Portal polygon(s) set values in the depth buffer.
- This prevents parts of viewer world behind portal polygon(s) from being drawn.

Common Technique: Depth Masking (cont.)



- But, on PowerVR2, polygons will be processed in incorrect order:
 1. Portal world opaque polygons
 2. Viewer world opaque polygons
 3. Portal world translucent polygons
 4. Depth clear (large translucent quad)
 5. Portal polygon(s)
 6. Viewer world translucent polygons

- Step 2 needs to come after step 5.

- We need to find a way to enforce rendering order.

PowerVR2 Technique: Multiple Passes



- **Hardware can do multiple rendering passes.**
- **Each pass has the following:**
 - **Optional depth clear (free)**
 - **Opaque polygons**
 - **Translucent polygons**
- **Enforces rendering order:**
 - **In other words pass 2 is always processed after pass 1.**
 - **... but some overdraw is no longer free.**
- **Rendering technique becomes:**
 1. **Render portal world.**
 2. **Start new pass with depth clear enabled.**
 3. **Render portal polygon(s).**
 4. **Render viewer world.**

PowerVR2 Technique: Render to Texture



- **Render as 2 separate 3D scenes:**
- **Scene 1**
 - Portal World only
 - Rendered to a texture, not frame buffer
- **Scene 2**
 - Render portal polygon(s).
 - Textured, using scene 1 as texture
 - Render viewer world.
- **Technique useful for TV screens**
 - TVs need perspective mapping of portal world.
- **Also useful for holographic displays**
 - Image of portal world needs to be translucent.

PowerVR2 Technique: “Simple” Portals



- A simple portal is where no part of the Viewer World is ever drawn behind the portal polygon(s).



Fig 3. Not Simple




Fig 4. Simple

- Dependence on rendering order can now be avoided:
 1. Render portal world
 2. Render portal polygon(s), if not completely translucent.
 3. Render viewer world.
- Steps 2 and 3 need to be rendered in front of step 1
 - Achieved by scaling depth values
- Result is very efficient
 - Takes full advantage of “free” overdraw

Example: Scene from Unreal



- Sky box is rendered as simple portal.
- Reflective floor is rendered with multiple passes.

Part 2: Portals for Visibility Determination



- For visibility determination, portals are convex windows placed where mostly convex pieces of world geometry join.




Fig 5. Top View of World With Portals

- Best suited for:
 - Indoor environments
 - Closed outdoor environments (valleys, canyons)
 - NOT for open outdoor environments (flightsims)

The Good and the Bad



Bad

- **Overdraw can often be high.**
 - **Caused by concave geometry**
- **Floating-point calculations can be intensive.**

Good

- **PowerVR2 has “free” overdraw.**
- **Calculations are mostly inner products.**
 - **SH-4 CPU is super fast at these**

*** So the console is well suited for this technique! ***

How it Works



- Calculate normalized bounding planes around portal to viewer.




Fig 6. Portal Planes

- Planes should be in world coordinate system.
- Visible objects are those that intersect the volume created by the planes.

How it Works (cont.)



- Portals should be processed recursively, starting with those closest to the viewer.
- View volume can be handled like other portal volumes.
 - It should be processed first
 - Takes care of trivial screen clipping
- Each portal can be clipped against the last volume.




Fig 7. Processing Portals

Determining if a Polygon Intersects a Volume



- For each volume plane:
 - See if all vertices are on the “outside” of the plane.
 - If so, polygon is not visible.
 - If not (for all planes), treat polygon as visible.
- Math: Inner product between vertex and plane
 - $X_v * X_p + Y_v * Y_p + Z_v * Z_p + 1 * W_p$
 - Yields distance of vertex from plane
 - +ve distance means “outside”
- Testing a quad against 5 planes will require 20 inner product calculations.
- Oring results from each calculation will yield clip flags.
 - So clip testing is done *before* transformation for little cost
- Only need to clip against front Z plane
 - Hardware will handle X/Y clipping.

Determining if a Bounding Sphere Intersects a Volume



- For each volume plane:
 - Calculate inner product between sphere center and plane
 - Compare distance of center with radius of sphere
 - if (Distance > Radius) sphere is outside volume
- Very simple and fast

Determining if an Axis-Aligned Bounding Box Intersects a Volume



- Not so simple
 - See Graphics Gems IV, Section 1.7 for a detailed description
- Math
 - Several simple comparisons
 - Two inner products per volume plane
 - Several simple 2D trivial clip test calculations
- ... so still fast

References



- **Geometry Formulas and Facts**
 - <http://www.geom.umn.edu/docs/reference/CRC-formulas/>
- **Graphics Gems IV**
 - Edited by Paul S. Heckbert, AP Professional



Questions

